



*GUAINE E SPIRALI PER
PROTEZIONE TUBI*

GUAINE E SPIRALI PER PROTEZIONE TUBI

Sleeves and protective spirals

SLEEVES COVER



FLEXIBLE SPIRALS FOR HOSES
Pag. 3



HIGHT TEMPERATURE FLEXIBLE
SPIRALS FOR HOSES
Pag. 4



PVC SOFTWALL SLEEVES FOR HOSES
PROTECTION
Pag. 5

FLEXIBLE SPIRALS FOR HOSES

| DESCRIPTION | |
|-----------------|--|
| MATERIAL | PVC |
| COLOR | BLACK - YELLOW |
| NOTE | HEAVY-DUTY PVC SPIRAL FOR PROTECTION OF HYDRAULIC HOSES AND WRAPPED HOSES. TEMP. -10°C + 70°C |



| CODE | INNER DIAMETER | EXTERNAL DIAMETER | L (mt) | INT. INCH | EXT. INCH |
|------------|----------------|-------------------|--------|-----------|-----------|
| SFT8/12 | 8 | 12 | 50 | 5/16" | 15/12" |
| SFT12/16 | 12 | 16 | 50 | 5/12" | 5/8" |
| SFT16/20 | 16 | 20 | 50 | 5/8" | 25/32" |
| SFT20/25 | 20 | 25 | 50 | 25/32" | 1" |
| SFT24/29 | 24 | 29 | 50 | 15/16" | 1.5/32" |
| SFT27/32 | 27 | 32 | 50 | 1.1/16" | 1.1/4" |
| SFT30/35 | 30 | 35 | 50 | 1.3/16" | 1.3/8" |
| SFT35/40 | 35 | 40 | 50 | 1.3/8" | 1.9/16" |
| SFT44/50 | 44 | 50 | 25 | 1.23/32" | 2" |
| SFT56/63 | 56 | 63 | 20 | 2.7/32" | 2.1/2" |
| SFT67/75 | 67 | 75 | 20 | 2.41/64" | 3" |
| SFT80/90 | 80 | 90 | 10 | 3.5/32" | 3.17/32" |
| SFT100/110 | 100 | 110 | 7 | 4" | 4.3/8" |
| SFT120/130 | 120 | 130 | 6 | 4.23/32" | 5.1/8" |

HIGHT TEMPERATURE FLEXIBLE SPIRALS FOR HOSES

| DESCRIPTION | |
|-----------------|--|
| MATERIAL | PVC |
| COLOR | - |
| NOTE | HEAVY-DUTY PVC SPIRAL FOR PROTECTION OF HYDRAULIC HOSES AND WRAPPED HOSES AGAINST HIGH TEMPERATURE. TEMP. -25°C + 110°C |



| CODE | INNER DIAMETER | EXTERNAL DIAMETER | L (mt) | INT. INCH | EXT. INCH |
|--------------|----------------|-------------------|--------|-----------|-----------|
| SFTHT8/12 | 8 | 12 | 50 | 5/16" | |
| SFTHT12/16 | 12 | 16 | 50 | 5/12" | 15/12" |
| SFTHT16/20 | 16 | 20 | 50 | 5/8" | 5/8" |
| SFTHT20/25 | 20 | 25 | 50 | 25/32" | 25/32" |
| SFTHT24/29 | 24 | 29 | 50 | 1" | 1.5/32" |
| SFTHT27/32 | 27 | 32 | 50 | 1.1/16" | 1.1/4" |
| SFTHT30/35 | 30 | 35 | 50 | 1.3/16" | 1.3/8" |
| SFTHT35/40 | 35 | 40 | 50 | 1.3/8" | 1.9/16" |
| SFTHT44/50 | 44 | 50 | 25 | 1.23/32" | 2" |
| SFTHT56/63 | 56 | 63 | 20 | 2.7/32" | 2.1/2" |
| SFTHT67/75 | 67 | 75 | 20 | | |
| SFTHT80/90 | 80 | 90 | 10 | 3.5/32" | 3.17/32" |
| SFTHT100/110 | 100 | 110 | 7 | | |

PVC SOFTWALL SLEEVES FOR HOSES PROTECTION

| DESCRIPTION | |
|-----------------|--|
| MATERIAL | PVC |
| COLOR | - |
| NOTE | SOFTWALL HOSE PROTECTING SLEEVE. TEMP. -15°C + 80°C |



| CODE | INNER DIAMETER | EXTERNAL DIAMETER | L (mt) | INT. INCH | EXT. INCH |
|-------------|----------------|-------------------|--------|-----------|-----------|
| GPPT16/17 | 16 | 17 | 100 | 5/8" | 21/32" |
| GPPT18/19,2 | 18 | 19,2 | 100 | 23/32" | 3/4" |
| GPPT20/21,2 | 20 | 21,2 | 100 | 25/32" | 27/32" |
| GPPT22/23,2 | 22 | 23,2 | 100 | 7/8" | 29/32" |
| GPPT24/25,2 | 24 | 25,2 | 100 | 15/16" | 1" |
| GPPT25/26,2 | 25 | 26,2 | 100 | | |
| GPPT26/27,2 | 26 | 27,2 | 100 | 1.1/32" | 1.1/16" |
| GPPT28/29,2 | 28 | 29,2 | 100 | 1.3/32" | 1.5/32" |
| GPPT30/31,2 | 30 | 31,2 | 50 | 1.3/16" | 1.7/32" |
| GPPT33/34,4 | 33 | 34,4 | 50 | 1.5/16" | 1.11/32" |
| GPPT36/37,4 | 36 | 37,4 | 50 | 1.13/32" | 1.15/32" |
| GPPT38/39,4 | 38 | 39,4 | 50 | 1.1/2" | 1.17/32" |
| GPPT40/41,4 | 40 | 41,4 | 50 | 1.9/16" | 1.5/8" |
| GPPT45/46,4 | 45 | 46,4 | 50 | 1.3/4" | 1.13/16" |
| GPPT48/49,4 | 48 | 49,4 | 50 | | |
| GPPT50/51,4 | 50 | 51,4 | 50 | 1.31/32" | 2" |
| GPPT55/56,4 | 55 | 56,4 | 50 | 2.5/32" | 2.5/32" |



PANOZZO s.r.l.

Via del Calendone n° 50/H

Tel. +39 039 9275 363

FAX. +39 039 9275 321

PEC: panozzosrl@pcert.it

panozzosrl.com

